



# **Payment Card Industry Data Security Standard**

---

## **Attestation of Compliance for Report on Compliance – Service Providers**

**Version 4.0.1**

Revision 2

Publication Date: August 2024

## **PCI DSS v4.0.1 Attestation of Compliance for Report on Compliance – Service Providers**

**Entity Name:** Linkly Pty Ltd

**Assessment End Date:** 2026-02-24

**Date of Report as noted in the Report on Compliance:** 2026-03-26

# Section 1 Assessment Information

## Instructions for Submission

This Attestation of Compliance (AOC) must be completed as a declaration of the results of the service provider's assessment against the *Payment Card Industry Data Security Standard (PCI DSS) Requirements and Testing Procedures* ("Assessment"). Complete all sections. The service provider is responsible for ensuring that each section is completed by the relevant parties, as applicable. Contact the entity(ies) to which this AOC will be submitted for reporting and submission procedures.

This AOC reflects the results documented in an associated Report on Compliance (ROC). Associated ROC sections are noted in each AOC Part/Section below.

Capitalized terms used but not otherwise defined in this document have the meanings set forth in the PCI DSS Report on Compliance Template.

Part 1. Contact Information	
<b>Part 1a. Assessed Entity (ROC Section 1.1)</b>	
Company name:	Linkly Pty Ltd
DBA (doing business as):	Linkly
Company mailing address:	Level 15, 309 Kent St, Sydney NSW 2000 Australia
Company main website:	<a href="https://linkly.com.au">https://linkly.com.au</a>
Company contact name:	Daniel Coote
Company contact title:	Chief Security Officer
Contact phone number:	+61 1300 697 848
Contact e-mail address:	security@linkly.com.au
<b>Part 1b. Assessor (ROC Section 1.1)</b>	
Provide the following information for all assessors involved in the Assessment. If there was no assessor for a given assessor type, enter Not Applicable	
PCI SSC Internal Security Assessor(s)	
ISA name(s):	Not Applicable.
Qualified Security Assessor	
Company name:	Foregenix Ltd
Company mailing address:	1 Watts Barn Badbury Swindon Wiltshire

	SN4 0EU United Kingdom
Company website:	<a href="https://www.foregenix.com">https://www.foregenix.com</a>
Lead Assessor name:	Bernard Wakelin
Assessor phone number:	+44 845 309 6232
Assessor e-mail address:	bwakelin@foregenix.com
Assessor certificate number:	PCI QSA Cert # 200-853

## Part 2. Executive Summary

### Part 2a. Scope Verification

#### Services that were **INCLUDED** in the scope of the Assessment (select all that apply):

Name of service(s) assessed:	Orbit	
Type of service(s) assessed:		
<b>Hosting Provider:</b> <input type="checkbox"/> Applications / software <input type="checkbox"/> Hardware <input type="checkbox"/> Infrastructure / Network <input type="checkbox"/> Physical space (co-location) <input type="checkbox"/> Storage <input type="checkbox"/> Web <input type="checkbox"/> Security services <input type="checkbox"/> 3-D Secure Hosting Provider <input type="checkbox"/> Shared Hosting Provider <input type="checkbox"/> Other Hosting (specify):	<b>Managed Services (specify):</b> <input type="checkbox"/> Systems security services <input type="checkbox"/> IT support <input type="checkbox"/> Physical security <input checked="" type="checkbox"/> Terminal Management System <input type="checkbox"/> Other services (specify):	<b>Payment Processing:</b> <input checked="" type="checkbox"/> POS / card present <input type="checkbox"/> Internet / e-commerce <input type="checkbox"/> MOTO / Call Center <input type="checkbox"/> ATM <input type="checkbox"/> Other processing (specify):
<input type="checkbox"/> Account Management	<input type="checkbox"/> Fraud and Chargeback	<input type="checkbox"/> Payment Gateway/Switch
<input type="checkbox"/> Back-Office Services	<input type="checkbox"/> Issuer Processing	<input type="checkbox"/> Prepaid Services
<input type="checkbox"/> Billing Management	<input type="checkbox"/> Loyalty Programs	<input type="checkbox"/> Records Management
<input type="checkbox"/> Clearing and Settlement	<input type="checkbox"/> Merchant Services	<input type="checkbox"/> Tax/Government Payments
<input type="checkbox"/> Network Provider		

Others (specify): Not Applicable

**Note:** These categories are provided for assistance only and are not intended to limit or predetermine an entity's service description. If these categories do not apply to the assessed service, complete "Others." If it is not clear whether a category could apply to the assessed service, consult with the entity(ies) to which this AOC will be submitted.

## Part 2. Executive Summary (continued)

### Part 2a. Scope Verification (continued)

**Services that are provided by the service provider but were NOT INCLUDED in the scope of the Assessment (select all that apply):**

Name of service(s) not assessed: Not Applicable.

Type of service(s) not assessed:

<p><b>Hosting Provider:</b></p> <input type="checkbox"/> Applications / software <input type="checkbox"/> Hardware <input type="checkbox"/> Infrastructure / Network <input type="checkbox"/> Physical space (co-location) <input type="checkbox"/> Storage <input type="checkbox"/> Web <input type="checkbox"/> Security services <input type="checkbox"/> 3-D Secure Hosting Provider <input type="checkbox"/> Shared Hosting Provider <input type="checkbox"/> Other Hosting (specify):	<p><b>Managed Services (specify):</b></p> <input type="checkbox"/> Systems security services <input type="checkbox"/> IT support <input type="checkbox"/> Physical security <input type="checkbox"/> Terminal Management System <input type="checkbox"/> Other services (specify):	<p><b>Payment Processing:</b></p> <input type="checkbox"/> POS / card present <input type="checkbox"/> Internet / e-commerce <input type="checkbox"/> MOTO / Call Center <input type="checkbox"/> ATM <input type="checkbox"/> Other processing (specify):
<input type="checkbox"/> Account Management	<input type="checkbox"/> Fraud and Chargeback	<input type="checkbox"/> Payment Gateway/Switch
<input type="checkbox"/> Back-Office Services	<input type="checkbox"/> Issuer Processing	<input type="checkbox"/> Prepaid Services
<input type="checkbox"/> Billing Management	<input type="checkbox"/> Loyalty Programs	<input type="checkbox"/> Records Management
<input type="checkbox"/> Clearing and Settlement	<input type="checkbox"/> Merchant Services	<input type="checkbox"/> Tax/Government Payments
<input type="checkbox"/> Network Provider		
<input type="checkbox"/> Others (specify):		
Provide a brief explanation why any checked services were not included in the Assessment:	Not Applicable.	

**Part 2b. Description of Role with Payment Cards  
(ROC Section 2.1)**

Describe how the business stores, processes, and/or transmits account data.

Linkly Pty Ltd (hereafter referred to as Linkly) is a payment interchange service provider that supports card-present transactions. As part of this service, Linkly provides a PED Payment Application that customers host on their PCI PTS approved device. These PED applications connect to the Linkly Terminal Transaction Handler service, Linkly TMS/Logon Service and Linkly Remote Key Injection (RKI) Service. Linkly does not own or operate any production POI. The POI is the responsibility of the PCI-PTS vendor and acquirer.

Describe how the business is otherwise involved in or has the ability to impact the security of its customers' account data.

Cardholder data (CHD) and sensitive authentication data (SAD) are captured and encrypted on a PCI-PTS approved POI hosting the Linkly Secure Application and Linkly PED Payment Application. The POI (responsibility of PAX, the PCI-PTS vendor and TMS service provider) transmits the encrypted CHD and SAD to the Linkly Orbit Transaction Handler service. The Linkly Orbit Transaction Handler service is composed of a front-end HTTPS Rest service that routes transactions to an acquirer specific Terminal Handler. The Terminal Handler uses a HSM for CHD encryption/decryption. The Linkly Orbit Transaction Handler service sends the CHD and SAD to interchange links (acquirers) for Financial Transaction Authorisation (Payment, Reversal, Void, Refund, Pre-authorisation) and Advice (Completion). Linkly only stores truncated PAN (first 6, last 4). Full track data and PIN are captured and transmitted but not stored.

Systems and processes related to the Orbit service (Terminal Transaction handler, RKI and TMS/Logon Handler, PED Payment/Secure Application), which are managed by Linkly, include the following:

The Linkly RKI service uses Server Authenticated encryption to:

1. Receive a Remote Key Injection Request from the Linkly PED Payment/Secure Application.
2. Return a Remote Key Injection Request response to Linkly PED Payment/Secure Application.

This will provision the PED with a DUKPT initial key for future transactions.

The Linkly Terminal Management System / Logon service uses Mutual encryption to:

1. Receive Configuration requests from the Linkly PED Payment/Secure Application.
2. Return Configuration parameters to the Linkly PED Payment/Secure Application.

The Linkly Terminal Transaction Handler service uses Mutual encryption to :

	<ol style="list-style-type: none"> <li>1. Receive DUKPT encrypted PIN, PAN, Track data, Expiry and CV2 inside authorization requests from the Linkly PED Payment/Secure Application.</li> <li>2. Translate the authorization request from Linkly's encryption domain to an Acquirer's encryption domain.</li> <li>3. Forward the authorization request to the Acquirer using the acquirer's encryption scheme and encryption key domain.</li> <li>4. Receive the authorization response from the acquirer using the acquirer's encryption scheme and encryption key domain.</li> <li>5. Translate the authorization response from the acquirer encryption domain to the Linkly PED Payment/Secure Application encryption domain.</li> <li>6. Forward the authorization response to the Linkly PED Payment/Secure Application.</li> </ol> <p>Transactions are stored encrypted to enable:</p> <ol style="list-style-type: none"> <li>1. Completion of Pre-auth transactions.</li> <li>2. Reversals/ Voids of the previous transactions.</li> </ol> <p>In all cases, the encrypted PIN block is removed from the transaction before it is encrypted for storage using AES 256-bits.</p>
Describe system components that could impact the security of account data.	Not Applicable.

## Part 2. Executive Summary *(continued)*

### Part 2c. Description of Payment Card Environment

Provide a high-level description of the environment covered by this Assessment.

*For example:*

- *Connections into and out of the cardholder data environment (CDE).*
- *Critical system components within the CDE, such as POI devices, databases, web servers, etc., and any other necessary payment components, as applicable.*
- *System components that could impact the security of account data.*

Linkly is using physical location segregation and firewalls to isolate the cardholder data environment (CDE) from the networks out-of-scope. These out-of-scope networks are not permitted to transmit or receive information to or from the CDE networks.

All of the corporate network is out of scope. This network is physically segmented from the CDE as there are no direct connections between the corporate office and the data centres. The only option to connect to systems located in the data centre is via a VPN requiring an authorised user (only system administrators) and multi-factor authentication (MFA).

In the data centres, there are VLANs considered out of scope. The Fortinet firewall is implementing the isolation of these networks by restricting the traffic between these VLANs and the CDE.

Indicate whether the environment includes segmentation to reduce the scope of the Assessment.

(Refer to the “Segmentation” section of PCI DSS for guidance on segmentation)

Yes  No

### Part 2d. In-Scope Locations/Facilities (ROC Section 4.6)

List all types of physical locations/facilities (for example, corporate offices, data centers, call centers and mail rooms) in scope for this Assessment.

Facility Type	Total Number of Locations (How many locations of this type are in scope)	Location(s) of Facility (city, country)
<i>Example: Data centers</i>	3	<i>Boston, MA, USA</i>
Data Centre ME1 (Equinix)	1	Melbourne, Victoria, Australia
Data Centre SY4 (Equinix)	1	Sydney, New South Wales, Australia

## Part 2. Executive Summary *(continued)*

### Part 2e. PCI SSC Validated Products and Solutions (ROC Section 3.3)

Does the entity use any item identified on any PCI SSC Lists of Validated Products and Solutions\*?

Yes  No

Provide the following information regarding each item the entity uses from PCI SSC's Lists of Validated Products and Solutions:

Name of PCI SSC-validated Product or Solution	Version of Product or Solution	PCI SSC Standard to which Product or Solution Was Validated	PCI SSC Listing Reference Number	Expiry Date of Listing
payShield 10K	3.x	PTS HSM	4-40266	2028-04-30
payShield Trusted Management Device (TMD)	3.x	PCI PTS	4-40285	2028-04-30
Linkly Secure Application	2.0.0-P-Set1	PCI SSS v1.2.1	25-45.01600.001	2028-05-19

\* For purposes of this document, "Lists of Validated Products and Solutions" means the lists of validated products, solutions, and/or components, appearing on the PCI SSC website ([www.pcisecuritystandards.org](http://www.pcisecuritystandards.org)) (for example, 3DS Software Development Kits, Approved PTS Devices, Validated Payment Software, Point to Point Encryption (P2PE) solutions, Software-Based PIN Entry on COTS (SPoC) solutions, Contactless Payments on COTS (CPoC) solutions), and Mobile Payments on COTS (MPoC) products.

**Part 2. Executive Summary (continued)**

**Part 2f. Third-Party Service Providers  
(ROC Section 4.4)**

For the services being validated, does the entity have relationships with one or more third-party service providers that:

- Store, process, or transmit account data on the entity’s behalf (for example, payment gateways, payment processors, payment service providers (PSPs, and off-site storage))  Yes  No
- Manage system components included in the entity’s Assessment (for example, via network security control services, anti-malware services, security incident and event management (SIEM), contact and call centers, web-hosting companies, and IaaS, PaaS, SaaS, and FaaS cloud providers)  Yes  No
- Could impact the security of the entity’s CDE (for example, vendors providing support via remote access, and/or bespoke software developers).  Yes  No

**If Yes:**

Name of Service Provider:	Description of Services Provided:
Equinix, Inc	Data centre provider (co-location)
PAX Technology Ltd	PCI-PTS Vendor, TMS Service Provider
Rackspace Technology, Inc.t	Managed Service Provider for Active Directory instances
Fiserv	Payments service provider
Microsoft Corporation – Microsoft Azure	Audit logs storage
Worldline (ANZ Worldline payment solutions)	Payments service provider

**Note:** Requirement 12.8 applies to all entities in this list.

## Part 2. Executive Summary (continued)

### Part 2g. Summary of Assessment (ROC Section 1.8.1)

Indicate below all responses provided within each principal PCI DSS requirement.

For all requirements identified as either “Not Applicable” or “Not Tested,” complete the “Justification for Approach” table below.

**Note:** One table to be completed for each service covered by this AOC. Additional copies of this section are available on the PCI SSC website.

Name of Service Assessed: Orbit

PCI DSS Requirement	Requirement Finding More than one response may be selected for a given requirement. Indicate all responses that apply.				Select If Below Method(s) Was Used	
	In Place	Not Applicable	Not Tested	Not in Place	Customized Approach	Compensating Controls
Requirement 1:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 2:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 3:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 4:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 5:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 6:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 7:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 8:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Requirement 9:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 10:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 11:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 12:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Appendix A1:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Appendix A2:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

#### Justification for Approach

For any Not Applicable responses, identify which sub-requirements were not applicable and the reason.

1.3.3 - Not Applicable - Linkly have no wireless networks at all.

2.3.1 - Not Applicable - Linkly have no wireless networks at all.

2.3.2 - Not Applicable - Linkly have no wireless networks at all.

3.3.1.1 - Not Applicable - Track data is not received by Linkly.

3.3.1.3 - Not Applicable - The PIN and the PIN block are not received by Linkly.

3.3.2 - Not Applicable - SAD is not stored electronically at all.

3.3.3 - Not Applicable - Linkly is neither an issuer nor supports issuing services.

3.5.1.1 - Not Applicable - Hashing is not used to render the PAN unreadable.

3.5.1.2 - Not Applicable - Disk or partition-level encryption is not used to render PAN unreadable.

3.5.1.3 - Not Applicable - Disk or partition-level encryption is not used to render PAN unreadable.

3.6.1.3 - Not Applicable - Linkly does not use clear text key components.

3.7.6 - Not Applicable - There are no manual cleartext cryptographic key-management operations within Linkly.

3.7.9 - Not Applicable - The DEK is never shared under any circumstances.

4.2.1.2 - Not Applicable - Wireless networks are not in use at Linkly.

4.2.2 - Not Applicable - End-user technologies are not used to transmit cardholder data.

5.2.3 - Not Applicable - Anti-malware is deployed on all the applicable system components.

5.2.3.1 - Not Applicable - Anti-malware is deployed on all the applicable system components.

5.3.3 - Not Applicable - Linkly do not have any removable electronic media containing cardholder account data.

6.4.1 - Not Applicable - This requirement has been superseded by requirement 6.4.2.

6.5.6 - Not Applicable - There is no data transfer that is part of the production release process. At no time are test accounts present in the pre-production components.

---

	<p>8.2.3 - Not Applicable - Linkly does not have remote access to customer premises.</p> <p>8.2.7 - Not Applicable - No third parties have access to the CDE.</p> <p>8.3.10 - Not Applicable - This requirement has been superseded by requirement 8.3.10.1.</p> <p>8.3.10.1 - Not Applicable - Customers do not have access to cardholder data.</p> <p>8.6.1 - Not Applicable - Accounts used by systems or applications are never used.</p> <p>8.6.2 - Not Applicable - Accounts used by systems or applications are never used.</p> <p>8.6.3 - Not Applicable - Accounts used by systems or applications are never used.</p> <p>9.4.1.1 - Not Applicable - No backup tapes or offline media backups exist.</p> <p>9.4.1.2 - Not Applicable - No backup tapes or offline media backups exist.</p> <p>9.4.2 - Not Applicable - No backup tapes or offline media backups exist.</p> <p>9.4.3 - Not Applicable - No backup tapes or offline media backups exist.</p> <p>9.4.4 - Not Applicable - No backup tapes or offline media backups exist.</p> <p>9.4.5 - Not Applicable - No backup tapes or offline media backups exist.</p> <p>9.4.5.1 - Not Applicable - No backup tapes or offline media backups exist.</p> <p>9.4.6 - Not Applicable - No hard-copy materials with cardholder data exists.</p> <p>9.5.1 - Not Applicable - POI devices are not used by Linkly.</p> <p>9.5.1.1 - Not Applicable - POI devices are not used by Linkly.</p> <p>9.5.1.2 - Not Applicable - POI devices are not used by Linkly.</p> <p>9.5.1.2.1 - Not Applicable - POI devices are not used by Linkly.</p> <p>9.5.1.3 - Not Applicable - POI devices are not used by Linkly.</p> <p>10.7.1 - Not Applicable - This requirement has been superseded by requirement.</p> <p>11.2.2 - Not Applicable - Linkly does not have any authorised wireless access points in the data centres.</p> <p>11.4.7 - Not Applicable - Linkly is not a multi-tenant service provider.</p>
--	--

---

	<p>12.3.2 - Not Applicable - Linkly does not use the customised approach to meet any of the PCI DSS requirements.</p> <p>A1.1.1 - Not Applicable - Linkly is not a multi-tenant service provider.</p> <p>A1.1.2 - Not Applicable - Linkly is not a multi-tenant service provider.</p> <p>A1.1.3 - Not Applicable - Linkly is not a multi-tenant service provider.</p> <p>A1.1.4 - Not Applicable - Linkly is not a multi-tenant service provider.</p> <p>A1.2.1 - Not Applicable - Linkly is not a multi-tenant service provider.</p> <p>A1.2.2 - Not Applicable - Linkly is not a multi-tenant service provider.</p> <p>A1.2.3 - Not Applicable - Linkly is not a multi-tenant service provider.</p> <p>A2.1.1 - Not Applicable - No POI terminals in-scope.</p> <p>A2.1.2 - Not Applicable - No POI terminals in-scope.</p> <p>A2.1.3 - Not Applicable - No POI terminals in-scope.</p>
<p>For any Not Tested responses, identify which sub-requirements were not tested and the reason.</p>	<p>Not Applicable</p>

## Section 2 Report on Compliance

(ROC Sections 1.2 and 1.3.2)

Date Assessment began: <i>Note: This is the first date that evidence was gathered, or observations were made.</i>	2026-02-16
Date Assessment ended: <i>Note: This is the last date that evidence was gathered, or observations were made.</i>	2026-02-24
Were any requirements in the ROC unable to be met due to a legal constraint?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Were any testing activities performed remotely?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

## Section 3 Validation and Attestation Details

### Part 3. PCI DSS Validation (ROC Section 1.7)

This AOC is based on results noted in the ROC dated 2026-03-26).

Indicate below whether a full or partial PCI DSS assessment was completed:

- Full Assessment** – All requirements have been assessed and therefore no requirements were marked as Not Tested in the ROC.
- Partial Assessment** – One or more requirements have not been assessed and were therefore marked as Not Tested in the ROC. Any requirement not assessed is noted as Not Tested in Part 2g above.

Based on the results documented in the ROC noted above, each signatory identified in any of Parts 3b-3d, as applicable, assert(s) the following compliance status for the entity identified in Part 2 of this document (*select one*):

<input checked="" type="checkbox"/>	<p><b>Compliant:</b> All sections of the PCI DSS ROC are complete, and all assessed requirements are marked as being either 1) In Place, 2) In Place with Remediation, or 3) Not Applicable, resulting in an overall <b>COMPLIANT</b> rating; thereby Linkly Pty Ltd has demonstrated compliance with all PCI DSS requirements except those noted as Not Tested above.</p>				
<input type="checkbox"/>	<p><b>Non-Compliant:</b> Not all sections of the PCI DSS ROC are complete, or one or more requirements are marked as Not in Place, resulting in an overall <b>NON-COMPLIANT</b> rating; thereby Linkly Pty Ltd has not demonstrated compliance with PCI DSS requirements.</p> <p><b>Target Date</b> for Compliance:</p> <p>An entity submitting this form with a Non-Compliant status may be required to complete the Action Plan in Part 4 of this document. Confirm with the entity to which this AOC will be submitted before completing Part 4.</p>				
<input type="checkbox"/>	<p><b>Compliant but with Legal exception:</b> One or more assessed requirements in the ROC are marked as Not in Place due to a legal restriction that prevents the requirement from being met and all other assessed requirements are marked as being either 1) In Place, 2) In Place with Remediation, or 3) Not Applicable, resulting in an overall <b>COMPLIANT BUT WITH LEGAL EXCEPTION</b> rating; thereby Linkly Pty Ltd has demonstrated compliance with all PCI DSS requirements except those noted as Not Tested above or as Not in Place due to a legal restriction.</p> <p>This option requires additional review from the entity to which this AOC will be submitted.</p> <p><i>If selected, complete the following:</i></p> <table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 30%;">Affected Requirement</th> <th>Details of how legal constraint prevents requirement from being met</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Not Applicable</td> <td style="text-align: center;">Not Applicable</td> </tr> </tbody> </table>	Affected Requirement	Details of how legal constraint prevents requirement from being met	Not Applicable	Not Applicable
Affected Requirement	Details of how legal constraint prevents requirement from being met				
Not Applicable	Not Applicable				

**Part 3a. Service Provider Acknowledgement**

**Signatory(s) confirms:**

(Select all that apply)

<input checked="" type="checkbox"/>	The ROC was completed according to <i>PCI DSS</i> , Version 4.0.1 and was completed according to the instructions therein.
<input checked="" type="checkbox"/>	All information within the above-referenced ROC and in this attestation fairly represents the results of the Assessment in all material respects.
<input checked="" type="checkbox"/>	PCI DSS controls will be maintained at all times, as applicable to the entity's environment.

**Part 3b. Service Provider Attestation**



Signature of Service Provider Executive Officer <sup>↑</sup>	Date: 03/30/2026
Service Provider Executive Officer Name: Daniel Coote	Title: Chief Security Officer

**Part 3c. Qualified Security Assessor (QSA) Acknowledgement**

If a QSA was involved or assisted with this Assessment, indicate the role performed:

QSA performed testing procedures.

QSA provided other assistance.

If selected, describe all role(s) performed:



Signature of Lead QSA <sup>↑</sup>	Date: 03/30/2026
Lead QSA Name: Bernard Wakelin	



Signature of Duly Authorized Officer of QSA Company <sup>↑</sup>	Date: 03/27/2026
Duly Authorized Officer Name: Ricardo Dos Santos	QSA Company: Foregenix Ltd

**Part 3d. PCI SSC Internal Security Assessor (ISA) Involvement**

If an ISA(s) was involved or assisted with this Assessment, indicate the role performed:

ISA(s) performed testing procedures.

ISA(s) provided other assistance.

If selected, describe all role(s) performed: Not Applicable.

## Part 4. Action Plan for Non-Compliant Requirements

Only complete Part 4 upon request of the entity to which this AOC will be submitted, and only if the Assessment has Non-Compliant results noted in Section 3.

If asked to complete this section, select the appropriate response for “Compliant to PCI DSS Requirements” for each requirement below. For any “No” responses, include the date the entity expects to be compliant with the requirement and provide a brief description of the actions being taken to meet the requirement.

PCI DSS Requirement	Description of Requirement	Compliant to PCI DSS Requirements (Select One)		Remediation Date and Actions (If “NO” selected for any Requirement)
		YES	NO	
1	Install and maintain network security controls	<input type="checkbox"/>	<input type="checkbox"/>	
2	Apply secure configurations to all system components	<input type="checkbox"/>	<input type="checkbox"/>	
3	Protect stored account data	<input type="checkbox"/>	<input type="checkbox"/>	
4	Protect cardholder data with strong cryptography during transmission over open, public networks	<input type="checkbox"/>	<input type="checkbox"/>	
5	Protect all systems and networks from malicious software	<input type="checkbox"/>	<input type="checkbox"/>	
6	Develop and maintain secure systems and software	<input type="checkbox"/>	<input type="checkbox"/>	
7	Restrict access to system components and cardholder data by business need to know	<input type="checkbox"/>	<input type="checkbox"/>	
8	Identify users and authenticate access to system components	<input type="checkbox"/>	<input type="checkbox"/>	
9	Restrict physical access to cardholder data	<input type="checkbox"/>	<input type="checkbox"/>	
10	Log and monitor all access to system components and cardholder data	<input type="checkbox"/>	<input type="checkbox"/>	
11	Test security systems and networks regularly	<input type="checkbox"/>	<input type="checkbox"/>	
12	Support information security with organizational policies and programs	<input type="checkbox"/>	<input type="checkbox"/>	
Appendix A1	Additional PCI DSS Requirements for Multi-Tenant Service Providers	<input type="checkbox"/>	<input type="checkbox"/>	
Appendix A2	Additional PCI DSS Requirements for Entities using SSL/early TLS for Card-Present POS POI Terminal Connections	<input type="checkbox"/>	<input type="checkbox"/>	

*Note: The PCI Security Standards Council is a global standards body that provides resources for payment security professionals developed collaboratively with our stakeholder community. Our materials are accepted in numerous compliance programs worldwide. Please check with your individual compliance accepting organization to ensure that this form is acceptable in their program. For more information about PCI SSC and our stakeholder community please visit: [https://www.pcisecuritystandards.org/about\\_us/](https://www.pcisecuritystandards.org/about_us/)*